



STILL ACOUSTIC FABRIC SYSTEM

WWW.ENOCOUSTIC.COM.SG

 **enocoustic**
Enovative . Acoustic . Solutions



STILL ACOUSTIC FABRIC SYSTEM

Still Acoustic Fabric System absorbs sound, minimizes sound reflections and creates a more comfortable acoustic environment where speech is intelligible, and loudness is reduced.

Suitable for both wall and ceiling, Still Acoustic Fabric System is ideal for a wide variety of application such as offices, meeting room, music studios and churches. Our wide range of fabric swatches enables you to create the ideal look for your space.

Product Specifications

Maximum Width	1200mm
Maximum Height	Customisable
Thickness	25mm
Fabric Composition	100% polyester fibre (PET)
Sound Absorption (ASTM C423-17)	NRC 0.75
Fire Rating (Infill)	Class 0

Key Features



Recycled Material

Raw materials consist of recycled post-consumer products e.g. plastic bottles.



Green Material

Sustainable manufacturing process free from chemicals, binders & adhesives.



High Sound Absorption

Helps to dampen noise & promote excellent acoustic performance in comfort.



Anti-rot & Anti-fungi

Able to withstand harsh environment & external weather without rotting.



Low Moisture Absorption

Retains moisture in ambient air & controls humidity by absorbing & emitting less.



Non-flammable

Product will melt & self-extinguish in case of contact with fire.



Fire Regulations

Complies with BS 476 Part 6 & 7 fire requirements under Singapore FSB regulations.

FABRIC CHART




BARLEY



BEACH



LATTE




ASH GRAY




ACORN




DEEP BROWN



DOVETAIL




CORAL



BERRY BUSH



MARIGOLD



JADE



CLASSIC GRAY



KOALA




CHARCOAL



ONYX

FABRIC PANEL WALL





ENOCOUSTIC PTE LTD

62 Oxley Bizhub 2
#01-41, Ubi Rd 1
Singapore 408734

+65 6926 2610
info@enocoustic.com.sg
www.enocoustic.com.sg
f @enocoustic